

Environmental Protection Agency

§ 52.1487

emissions and operation of the emission monitors to the State as specified in Appendix P of part 51.

[37 FR 10878, May 31, 1972, as amended at 38 FR 12709, May 14, 1973; 40 FR 55331, Nov. 28, 1975; 43 FR 36933, Aug. 21, 1978; 51 FR 40677, Nov. 7, 1986]

§§ 52.1480–52.1481 [Reserved]

§ 52.1482 Compliance schedules.

(a)–(b) [Reserved]

(c) The compliance schedule revisions submitted for the sources identified below are disapproved as not meeting the requirement of subpart N of this chapter. All regulations cited are air pollution control regulations of the State, unless otherwise noted.

Source	Location	Regulation involved	Date of adoption
Jack N. Tedford, Inc	Fallon	Not given	Aug. 14, 1972.
Basic, Inc	Gabbs	Article 4	Feb. 13, 1973.
Duval Corp	Battle Mountain	Article 5	Feb. 13, 1973.
Mohave Generating Station, Southern California Edison Co.	Laughlin	Clark County, Section 16.	Jan. 11, 1973.

[39 FR 14209, Apr. 22, 1974, as amended at 40 FR 3995, Jan. 27, 1975; 51 FR 40676, Nov. 7, 1986; 54 FR 25258, June 14, 1989]

§ 52.1483 Malfunction regulations.

(a) The following regulations are disapproved because they would permit the exemption of sources from applicable emission limitations under certain situations and therefore they do not satisfy the enforcement imperatives of section 110 of the Clean Air Act.

(1) Clark County District Board of Health

(i) Section 25, Rules 25.1–25.1.4.

[49 FR 10259, Mar. 20, 1984]

§ 52.1484 [Reserved]

§ 52.1485 Significant deterioration of air quality.

(a) The requirements of sections 160 through 165 of the Clean Air Act are not met, since the plan, except as it applies to the Clark County Health District, does not include approvable procedures for preventing the significant deterioration of air quality.

(b) Regulation for preventing significant deterioration of air quality. The provisions of § 52.21 except paragraph (a)(1) are incorporated and made a part of the applicable State plan for the State of Nevada except for that portion applicable to the Clark County Health District.

(c) All applications and other information required pursuant to § 52.21

from sources located in the jurisdiction of the State of Nevada shall be submitted to the Director, Department of Conservation and Natural Resources, 201 South Fall Street, Carson City, Nevada instead of the EPA Region 9 Office.

[47 FR 26621, June 21, 1982, as amended at 48 FR 28271, June 21, 1983; 68 FR 11323, Mar. 10, 2003; 68 FR 74489, Dec. 24, 2003]

§ 52.1486 Control strategy: Hydrocarbons and ozone.

(a) The requirements of subpart G of this chapter are not met since the plan does not provide for the attainment and maintenance of the national standard for ozone in the Las Vegas Intra-state Region (§ 81.80 of this chapter).

[45 FR 67347, Oct. 10, 1980, as amended at 51 FR 40676, Nov. 7, 1986]

§ 52.1487 Public hearings.

(a) The requirements of § 51.102 (a) and (e) of this chapter are not met since NAQR, Article 2.11.4.2 allows variances (compliance schedules), to be renewed without a public hearing, thus allowing further postponement of the final compliance date for sources